

Storm Protection Products



Severe storm defense

During a hurricane or severe storm, the structural integrity of your home can be compromised if wind forces cause the garage door to buckle. Help protect your home against the damaging effects of wind pressure during severe weather events with a wind-resistant garage door from Wayne Dalton.

Approval Agencies / Building Codes

DOOR MODELS	6600	8024	8124	8300	8500	8000	8100	8200	9100	9605	9405	9510	9700	9800	7100	7400	8700	FABRIC SHIELD
PAGE NUMBERS	4-5	6-7	6-7	8-9	10-11	12-13	12-13	12-13	14-15	16-17	18-19	20-21	22-23	24-25	26-17	28-29	30-31	33
International Building Code (IBC) and International Residential Code (IRC)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Florida Building Code (FBC)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Florida Building Code (FBC) - Impact Rated	•	•	•	•	•	•	•	•	•	•	•							•
Texas Department of Insurance (TDI)	•	•	•	•	•	•	•	•	•	•	•	•	•	•				•
Texas Department of Insurance (TDI) - Impact Rated	•	•	•	•	•	•	•	•	•	•	•							•
Miami-Dade County approved	•	•	•	•	•													

All wind load options must be specified at time of order.





Wind load-rated garage doors



Wayne Dalton offers wind load reinforcement options with many of its most popular garage doors. Doors with the WindSafe logo comply with requirements of one or more approval agencies, including: the Florida Building Code, Texas Department of Insurance and Miami-Dade (FL) County.



High-grade carbon steel hinges add stability.



A combination of quick install and heavy duty jamb brackets secure track to door frame.



Top section roller slide attached to U-bar resists inward and outward force.



3" commercial grade U-bars provide horizontal stability.



Bottom section roller slide attached to U-bar resists inward and outward force.

Impact-rated garage doors



Wayne Dalton door models with the impact logo have been approved for impact resistance. Always consult with your local building authority to ensure compliance with local building code requirements.

Lose the garage door, lose the home

Post-storm analysis indicates that 80% of residential hurricane damage begins with wind entry into the garage. If the integrity of your home is compromised, wind, rain and blown debris have easy access into your home.

¹Federal Alliance for Safe Homes (FLASH)® 2014.

Carriage House Steel

The Model 6600 garage door is a terrific choice for performance and value. It has excellent insulating ability that provides thermal efficiency and reduces street noise. Choose from eleven panel options.


- Distinctive Carriage House designs
- Foamed-in-place polyurethane insulation (R-value = 12.12*)
- Durable four-layer construction
- Limited Lifetime Warranty

*Wayne Dalton uses a calculated door section R-value for our insulated doors.




MODEL	DOOR WIDTH	WIND SPEED / DESIGN PRESSURE MPH¹ / MPH² /	IMPACT	GLASS AVAILABLE		
MODEL	UP TO	PSF DESIGN PRESSURE	RESISTANT	STANDARD	IMPACT	
Model 6600	9'	90 - 200 mph ¹ / 115 - 255 mph ² (+12.80/-14.80) - (+64.00/-72.00)	YES ³	LONG PANEL ³	LONG PANEL ³	
	16'	90 - 170 mph ¹ / 115 - 220 mph ² (+12.40/-13.80) - (+46.00/-52.00)	YES ³	LONG PANEL ³	LONG PANEL ³	
	18'	90 - 170 mph ¹ / 115 - 225 mph ² (+12.40/-13.80) - (+46.00/-52.00)	YES ³	LONG PANEL ³	LONG PANEL ³	

Choose Your Style




Arlington (Square)



Lexington (Square)

All door top sections are available in arch or square design. Most double-car designs appear as 2 single-car doors side by side.



Ashburn (Arched)



Savannah (Arched)




Springfield (Square)



Bellview (Square)



Richmond (Square)



Kingston (Square)



Brunswick (Arched)



Somerset (Arched)



Westfield (Square)

Choose Your Color

Painted Finishes (standard)



White/ White

IMPACT



White



Taupe/ White



Terra Bronze/ White



Brown/ White




White

Actual colors may vary from brochure due to fluctuations in the printing process. Always

request a color sample from

your Dealer for accurate color



wind SAFE

Wood Grain



MIAMI-DADE



matching.

CONTACT YOUR LOCAL BUILDING OFFICIAL FOR CODE REQUIREMENTS. SEE PAGE 32 FOR WIND SPEED / DESIGN PRESSURE NOTES

Window patterns are shown for a typical single-car door. Spacing of windows may change depending on door size. Not all windows are available in all door sizes.

Routed windows


Routed windows are only available with smooth overlay trim.



Stockton Arch









Framed Insert windows

Framed Insert windows are available for both smooth and wood grain overlays.













Clear Long

Stockton Arch

Stockton


Stockbridge

Somerton

Wyndbridge


Window Comparison

Doors built with the **Routed windows** use a clean top section design where the wood overlay is routed from a wood face panel.



Arlington panel with Routed Stockbridge windows

Doors with **Framed Insert windows** use a classic wood door design with the top section constructed from wood overlay boards.



Arlington panel with Framed Insert Stockbridge windows

Impact-resistant windows are available. (Miami-Dade Broward approved upgrade).



MODELS 8024/8124

Classic Steel

With a 24-gauge steel skin, these doors have box-shape 20-gauge stiles and 16-gauge end stiles for strength and rigidity.

- Model 8024, Colonial panel, Almond finish, Stockton I windows
- Polystyrene insulation (R-value = 3.7*) on Model 8124
- 10-Year Limited Warranty

*Wayne Dalton uses a calculated door section R-value for our insulated doors.

Note: For Sonoma style doors with windows, a full row of impact windows are required.

MODEL	DOOR WIDTH UP TO	WIND SPEED / DESIGN PRESSURE MPH¹ / MPH² / PSF DESIGN PRESSURE	IMPACT RESISTANT	GLASS AVAILABLE		
MODEL				STANDARD	IMPACT	
	9'	170 mph ¹ / 220 mph ² (+46.00/-52.00)	YES	NO	SHORT PANEL ³	
Models 8024/ 8124	16'	170 mph ¹ / <mark>225 mph²</mark> (+46.00/-52.00)	YES	NO	SHORT PANEL ³	
	18'	170 mph ¹ / <mark>225 mph²</mark> (+46.00/-52.00)	YES	NO	SHORT PANEL ³	


Choose Your Style



Colonial



Ranch (Windows not available)



Sonoma

Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your Dealer for accurate color matching.

Choose Your Color

Painted Finishes (standard)



White



Almond











For Colonial and Sonoma† Panels (Impact only)












Waterton I

nedral I









Sherwood I

Stockton I

†Impact windows not available on Model 8124 Sonoma panel.

CONTACT YOUR DEALER TO DETERMINE WINDOW AVAILABILITY AND YOUR LOCAL BUILDING OFFICIAL FOR CODE REQUIREMENTS. Impact-resistant windows are available. (Miami-Dade Broward approved upgrade).




Classic Steel


The Model 8300 Classic Steel garage door will deliver years of dependable performance. It features distinct wood grain embossed steel panels with foamed-in-place insulation.

- Ranch panel, Black finish, Stockton II windows
- Premium steel construction
- Foamed-in-place polyurethane insulation (R-value = 12.12*)
- Limited Lifetime Warranty

MODEL	DOOR WIDTH UP TO	WIND SPEED / DESIGN PRESSURE MPH¹ / MPH² / PSF DESIGN PRESSURE	IMPACT	GLASS AVAILABLE		
			RESISTANT	STANDARD	IMPACT	
	9,	90 - 200 mph ¹ / 115 - 255 mph ² (+12.80/-14.80) - (+64.00/-72.00)	YES³	SHORT PANEL ³ / LONG PANEL ³	SHORT PANEL ³ / LONG PANEL ³	
Model 8300	16'	90 - 170 mph ¹ / 115 - 220 mph ² (+12.40/-13.80) - (+46.00/-52.00)	YES ³	SHORT PANEL ³ / LONG PANEL ³	SHORT PANEL ³ / LONG PANEL ³	
	18'	90 - 170 mph ¹ / 115 - 225 mph ² (+12.40/-13.80) - (+46.00/-52.00)	YES³	SHORT PANEL ³ / LONG PANEL ³	SHORT PANEL ³ / LONG PANEL ³	

Choose Your Style





Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your Dealer for accurate color matching.

*Wayne Dalton uses a calculated door section R-value for our insulated doors. Note: For Sonoma style doors with windows, a full row of impact windows are required.

Choose Your Color

Painted Finishes (Standard)





Brown







Golden Oak[†]

Mission Oak[†] Walnut[†]

†Available on Sonoma panels only





Black

Taupe

Premium Finish

Wood Grain Finishes





Terra Bronze










For Colonial and Contemporary Panels



Arched Stockton*



Sherwood I



Waterton III*




Stockbridge*



Williamsburg I



Stockton I



Stockton III*



Clear I



Prairie I



Waterton I

For Ranch Panels



Cascade II



Stockton II



Cathedral II



Waterton II

**Available on doors with an even number of panels.



*Contemporary Panel only

Clear II



Williamsburg II**




Prairie II



Williamsburg II Single Arch



Sherwood II**



Stockbridge II

Not all windows are available in all sizes or in all areas. Check with your Wayne Dalton dealer for details.

For Sonoma Panel



Cascade I



Stockton I



Cascade III



Stockton III



Cathedral I



Arched Stockton



Clear I



Waterton I



Clear III



Waterton III



Stockbridge



Arched Stockton Single



Arched Stockton Double

For Sonoma Ranch Panels



Ashton IV




Stockbridge IV (3-Lite)



Stockton IV (8-Lite Arched)

Williamsburg IV





Stockton IV (12-Lite)



Cathedral IV



Arched Stockton IV



Clear IV



Stockton IV (4-Lite)



Waterton IV



Ruston IV



Stockton IV (6-Lite)



Williamsburg IV



Stockton IV (8-Lite)



Classic Steel

The Model 8500 is among the most thermally efficient garage doors that we build. Engineered with tongue-and-groove panel joints, this door is durable and stylish.



- Premium steel construction
- Foamed-in-place polyurethane insulation (R-value = 16.22*)
- Limited Lifetime Warranty

*Wayne Dalton uses a calculated door section R-value for our

insulated doors.


Note: For Sonoma style doors with windows, a full row of impact windows are required.

	MODEL	DOOR WIDTH	IDTH MPH ¹ / MPH ² /	IMPACT	GLASS AVAILABLE		
		UP TO	PSF DESIGN PRESSURE	RESISTANT	STANDARD	IMPACT	
		9'	90 - 200 mph ¹ / 115 - 255 mph ² (+12.80/-14.80) - (+64.00/-72.00)	YES ³	SHORT PANEL ³ / LONG PANEL ³	NO	
	Model 8500	16'	90 - 170 mph ¹ / 115 - 220 mph ² (+12.40/-13.80) - (+46.00/-52.00)	YES ³	SHORT PANEL ³ / LONG PANEL ³	NO	
		18'	90 - 170 mph ¹ / 115 - 225 mph ² (+12.40/-13.80) - (+46.00/-52.00)	YES ³	SHORT PANEL ³ / LONG PANEL ³	NO	

Choose Your Style




Colonial



Contemporary



Ranch



Sonoma

Model 8500 not available with impact windows.

Choose Your Color

Painted Finishes (Standard)



White





Almond



Terra Bronze Brown



Black

Wood Grain Finishes





Golden Oak[†] Mission Oak[†]

Walnut[†] †Available on Sonoma panels only

Premium Finish













For Colonial and Contemporary Panels



Cascade I



Sherwood I



Waterton III*



Williamsburg I

Stockbridge*

Cascade III*




*Contemporary Panel only





Clear I



Arched Stockton*

Sherwood II**

Clear III*



Prairie I





Waterton I

For Ranch Panels



Cascade II



Stockton II



Cathedral II



Waterton II



Clear II



Williamsburg II**



Prairie II



Williamsburg II Single Arch



Stockbridge II



** Available on doors with an even number of panels

Not all windows are available in all sizes or in all areas. Check with your Wayne Dalton dealer for details.

For Sonoma Panels — Non-Impact



Cascade I



Stockton I




Cascade III



Stockton III



Cathedral I



Arched Stockton



Clear



Waterton I



Clear III



Waterton III




Choice of single or double arch is available for arched top windows









CONTACT YOUR DEALER TO DETERMINE WINDOW AVAILABILITY AND YOUR LOCAL BUILDING OFFICIAL FOR CODE REQUIREMENTS.

MODELS 8000/8100/8200

Classic Steel

Style and storm safety don't have to cost a fortune. These models feature Wayne Dalton quality with rugged, tongue-and-groove panels.


- - Polystyrene insulation on Models 8100 (R-value = 3.7*) and 8200 (R-value = 7.4*)
 - 10-Year Limited Warranty


*Wayne Dalton uses a calculated door section R-value for our insulated doors. Note: For Sonoma style doors with windows, a full row of impact windows are required.

Model	I 8000, Colonial panel, Whi	ite finish, Prairie I wi	ndows

MODEL	DOOR WIDTH UP TO	MPH ¹ / MPH ² /	IMPACT	GLASS AVAILABLE		
			RESISTANT	STANDARD	IMPACT	
	9'	90 - 200 mph ¹ / 115 - 255 mph ² (+12.80/-14.80) - (+64.00/-72.00)	YES ³	SHORT PANEL ³ / LONG PANEL ³	NO	
Models 8000/ 8100/ 8200	16'	90 - 170 mph ¹ / 115 - 220 mph ² (+12.40/-13.80) - (+46.00/-52.00)	YES ³	SHORT PANEL ³ / LONG PANEL ³	NO	
	18'	90 - 170 mph ¹ / 115 - 225 mph ² (+12.40/-13.80) - (+46.00/-52.00)	YES ³	SHORT PANEL ³ / LONG PANEL ³	NO	

Choose Your Style







Ranch

Sonoma

Note: For Colonial and Sonoma style doors with windows, a full row of windows is required.

Choose Your Color

Painted Finishes (Standard)









White

Taupe

Brown

Wood Grain Finishes



Mission Oak



Walnut

Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your Dealer for accurate color matching.











For Colonial and Sonoma* Panels







Cathedral I



Clear I



Prairie I



Sherwood I



Stockton I



Arched Stockton



Waterton I



Williamsburg I



Arched Stockton Double (Arch Double Car)

Not all windows available in all areas. Consult your dealer for details.

Decorative hardware is available, see your dealer or visit our website at wayne-dalton.com for details.

CONTACT YOUR DEALER TO DETERMINE WINDOW AVAILABILITY AND YOUR LOCAL BUILDING OFFICIAL FOR CODE REQUIREMENTS.



Classic Steel

You don't have to give up high-end quality, styling, performance or safety features to get an affordable, thermally efficient garage door. Model 9100 has all the things you've been looking for.





- Steel panels with distinctive designs
- Foamed-in-place polyurethane insulation (R-value = 9*)
- Pinch-resistant door panels
- Limited Lifetime Warranty

*Wayne Dalton uses a calculated door section R-value for our insulated doors.

MODEL	DOOR WIDTH UP TO	WIND SPEED / DESIGN PRESSURE MPH¹ / MPH² / PSF DESIGN PRESSURE	IMPACT	GLASS AVAILABLE		
MODEL			RESISTANT	STANDARD	IMPACT	
	9'	100 - 165 mph ¹ / 130 - 215 mph ² (+15.90/-18.20) - (+43.20/-49.60)	YES ³	SHORT PANEL/ LONG PANEL ³	SHORT PANEL/ LONG PANEL ³	
Model 9100	16'	100 - 160 mph ¹ / <mark>125 - 205 mph²</mark> (+15.30/-17.00) - (+39.20/-43.70)	YES ³	SHORT PANEL/ LONG PANEL ³	SHORT PANEL/ LONG PANEL ³	
	18'	90 - 160 mph ¹ / 115 - 205 mph ² (+12.40/-13.80) - (+39.20/-43.70)	YES³	SHORT PANEL/ LONG PANEL ³	SHORT PANEL/ LONG PANEL ³	

1 Choose Your Style





Sonoma

White

Green

Almond

Brown

Painted Finishes (Standard)

Choose Your Color







Desert Tan

Taupe

Gray

Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your Dealer for accurate color matching.

Single-width doors are available in 8' or 9' widths. Double-width doors are available in 16' or 18' widths. All widths are available in 7' and 8' heights.

tWindows available for the Sonoma Ranch panel for select option codes only









For Colonial and Contemporary Panels



Cascade I



Clear II*



Stockbridge*



Waterton II*



Cascade II*



Clear III*



Stockton I



Waterton III*



Cascade III*



Prairie I



Stockton II*



Williamsburg I



Cathedral I



Prairie II*



Stockton III*



Williamsburg II*



Cathedral II*



Sherwood I



Arched Stockton*



Sherwood II*



Waterton I

*Contemporary Panel only

For Ranch Panels



Cascade II



Stockton II



Cathedral II



Arched Stockton



Clear II



Waterton II



Prairie II



Williamsburg II



Sherwood II



Stockbridge

For Sonoma Panels



Cascade I



Stockton I



Cascade III



Stockton III



Cathedral I



Arched Stockton



Clear



Waterton I



Clear III



Waterton III



Stockbridge

For Sonoma Ranch Panels



Ashton IV



Stockbridge IV (3-Lite)



Stockton IV (8-Lite)



Cathedral IV



Stockbridge IV (4-Lite)

Stockton IV (8-Lite Arched)



Cascade IV



Stockford IV





Clear IV

Arched Stockton IV



Waterton IV





Williamsburg IV









Wyndbridge IV





Classic Steel

The Wayne Dalton Model 9605 garage door delivers greater thermal efficiency with premium detailing. The styling options of this distinctive, • Foamed-in-place polyurethane insulation stylish door make it a popular choice for contemporary home architecture.





- Steel panels with distinctive designs
- (R-value = 9*)
- Pinch-resistant door panels
- Limited Lifetime Warranty

*Wayne Dalton uses a calculated door section R-value for our insulated doors.

	MODEL	DOOR WIDTH	WIND SPEED / DESIGN PRESSURE MPH¹ / MPH² /	IMPACT RESISTANT	GLASS AVAILABLE		
		UP TO	PSF DESIGN PRESSURE	RESISTANT	STANDARD	IMPACT	
		9'	100 - 160 mph ¹ / 130 - 205 mph ² (+15.90/-18.20) - (+41.00/-46.30)	YES³	SHORT PANEL/ LONG PANEL ³	SHORT PANEL/ LONG PANEL ³	
	Model 9605	16'	100 - 160 mph ¹ / <mark>125 - 205 mph²</mark> (+15.30/-17.00) - (+39.20/-43.70)	YES ³	SHORT PANEL/ LONG PANEL ³	SHORT PANEL/ LONG PANEL ³	
		18'	100 - 160 mph ¹ / <mark>125 - 205 mph²</mark> (+15.30/-17.00) - (+39.20/-43.70)	YES ³	SHORT PANEL/ LONG PANEL ³	NO	

Choose Your Style





Sonoma Ranch

Single-width doors are available in 8' or 9' widths. Double-width doors are available in 16' or 18' widths. All widths are available in 7' and 8' heights.

†Windows available for the Sonoma Ranch panel for select option codes only

Choose Your Color

Painted Finishes (Standard)











Desert Tan

Premium Finish



Green

Brown

Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your Dealer for accurate color matching.









Contemporary

For Colonial and Contemporary Panels



Cascade I



Sherwood I



Cascade III*



Stockton I



Cathedral I



Stockton III*



Clear



Williamsburg I



Clear III*



Waterton I



*Contemporary Panel only

Prairie I



Waterton III*

For Ranch Panels



Cascade II



Stockton II



Cathedral II



Arched Stockton



Clear II



Waterton II



Prairie II



Williamsburg II



Sherwood II



Stockbridge

For Sonoma Panels



Cascade I



Stockton I



Cascade III



Stockton III



Cathedral



Arched Stockton



Clear



Waterton I



Clear III



Waterton III



For Sonoma Ranch, Colonial and Contemporary Panels



Ashton IV



Stockbridge IV (3-Lite)



Stockton IV (8-Lite)



Cathedral IV



Stockbridge IV (4-Lite)



Stockton IV (8-Lite Arched)



Cascade IV



Stockford IV



Stockton IV (12-Lite)



Clear IV



Arched Stockton IV



Waterton IV



Ruston IV



Stockton IV (4-Lite)



Williamsburg IV







Wyndbridge IV



Carriage House Steel


There's no need to sacrifice performance to get the look of an elegant carriage house style door. The Model 9405 offers thermal efficiency and easy maintenance in six different designs.

- Pinch-resistant door panels
- Foamed-in-place polyurethane insulation (R-value = 10*)
- Limited Lifetime Warranty
- *Wayne Dalton uses a calculated door section R-value for our insulated doors.



MODEL	DOOR WIDTH	WIND SPEED / DESIGN PRESSURE MPH¹ / MPH² /	IMPACT	GLASS AVAILABLE		
	UP TO	PSF DESIGN PRESSURE	RESISTANT	STANDARD	IMPACT	
Model 9405	9'	100 - 160 mph ¹ / 130 - 205 mph ² (+15.90/-18.20) - (+41.00/-46.30)	YES ³	LONG PANEL ³	LONG PANEL ³	
	16'	100 - 160 mph ¹ / <mark>125 - 205 mph²</mark> (+15.30/-17.00) - (+39.20/-43.70)	YES ³	LONG PANEL ³	LONG PANEL ³	
	18'	100 - 160 mph ¹ / <mark>125 - 205 mph²</mark> (+15.30/-17.00) - (+39.20/-43.70)	YES ³	LONG PANEL ³	NO	

Choose Your Style



Single-car doors are available in 8' or 9' widths. Double-car are available in 16' or 18' widths. All widths are available in 7' and 8' heights. Double-car designs look like two single-car doors side by side, with the exception of Hampton and Camden designs. See Dealer for details.

Choose Your Color

Painted Finishes



Almond









(Standard)

Two-Toned Painted Finishes





Clay/White

Premium Finish



Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your Dealer for accurate color matching.





















Cascade III

Clear II

Stockbridge

Stockton III

Arched Stockton

Waterton III


Choice of single or double arch is available for arched top double-car windows.





Arched Stockton Double

CONTACT YOUR DEALER TO DETERMINE WINDOW AVAILABILITY AND YOUR LOCAL **BUILDING OFFICIAL FOR CODE REQUIREMENTS.**




Designer Steel

Wayne Dalton's Model 9510 features tall section heights, large windows and a full-section embossment design for a dramatic look on a premium garage door.



Choose Your Style



3-section styling on 7' high doors. Number and height of sections will vary depending on door height.









SEE PAGE 32 FOR WIND SPEED / DESIGN PRESSURE NOTES

- TorqueMaster® Plus Counterbalance System
- Foamed-in-place polyurethane insulation (R-value = 12*)
- Pinch-resistant door panels
- WindSafe®

*Wayne Dalton uses a calculated door section R-value for our insulated doors.

MODEL	DOOR WIDTH UP TO	WIND SPEED / DESIGN PRESSURE MPH¹ / MPH² /	IMPACT RESISTANT	GLASS AVAILABLE		
MODEL		PSF DESIGN PRESSURE	RESISTANT	STANDARD	IMPACT	
	9'	90 - 165 mph ¹ / 115 - 215 mph ² (+12.80/-14.80) - (+45.30/-51.20)	NO	LONG PANEL ³	NO	
Model 9510	10'	90 - 160 mph ¹ / 115 - 205 mph ² (+12.80/-14.80) - (+41.00/-46.30)	NO	LONG PANEL ³	NO	
	16'	90 - 160 mph ¹ / 115 - 205 mph ² (+12.40/-13.80) - (+39.20/-43.70)	NO	LONG PANEL ³	NO	
	18'	100 - 140 mph ¹ / <mark>125 - 180 mph²</mark> (+15.30/-17.00) - (+30.00/-33.50)	NO	LONG PANEL ³	NO	

Choose Your Color

Painted Finishes (Standard)







color matching.

Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your Dealer for accurate

Premium Finishes



Desert Tan



Gray



Terra Bronze



Black







Stockbridge (4-Pane)



Plain Window Square




Stockton (6-Pane)



Somerton (6-Pane)



Stockton (8-Pane)



Somerton (8-Pane)



Wyndbridge (3-Pane)



Stockbridge (3-Pane)



Wyndbridge (4-Pane)

Option of single or double arch for double car doors. Window size and shape may vary slightly based on door size. All windows are made using a single piece of glass with dividers. Clear, obscure and satin etched glass available in insulated and non-insulated.



Carriage House Steel

Choose a door that's truly a reflection of you. Wayne Dalton lets you create the look of a traditional swing door with an elegant cross back design or a simple rail and stile pattern.


- Steel panels customizable dozens of ways
- Foamed-in-place polyurethane insulation (R-value = 10*)
- Pinch-resistant door panels
- Limited Lifetime Warranty


*Wayne Dalton uses a calculated door section R-value for our insulated doors.



MODEL	DOOR WIDTH	WIND SPEED / DESIGN PRESSURE MPH¹ / MPH² /	IMPACT RESISTANT	GLASS AVAILABLE		
	UP TO	PSF DESIGN PRESSURE		STANDARD	IMPACT	
Model 9700	9'	90 - 165 mph ¹ / 115 - 215 mph ² (+12.80/-14.80) - (+45.30/-51.20)	NO	LONG PANEL ³	NO	
	10'	90 - 160 mph ¹ / 115 - 205 mph ² (+12.80/-14.80) - (+41.00/-46.30)	NO	LONG PANEL ³	NO	
	16'	90 - 160 mph ¹ / 115 - 205 mph ² (+12.40/-13.80) - (+39.20/-43.70)	NO	LONG PANEL ³	NO	
	18'	100 - 140 mph ¹ / <mark>125 - 180 mph²</mark> (+15.30/-17.00) - (+30.00/-33.50)	NO	LONG PANEL ³	NO	

1 Choose Your Style





Doors shown are 7' high with 3-section styling. 8' high doors have 4-section styling. Most styles are also available in arched tops. See website for complete line of available designs.







Choose Your Color

Painted Finishes



White (Standard)



Clay



Gray



Green

Two-Toned Painted Finishes



Green/White



Gray/White



Clay/White

Stained Finishes



Clay





Honduran Mahogany



Gray



Mahogany



Natural Oak



Walnut



Red Oak



Green

Premium Finish



Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your Dealer for accurate color matching.

Choose Your Windows



Plain Window Square (S) Plain Window Square (D)



Plain Window Arched (S) Plain Window Arched (D)



6 Window Square (S) 12 Window Square (D)



6 Window Arched (S) 12 Window Arched (D)



8 Window Square (S) 16 Window Square (D)



8 Window Arched (S) 16 Window Arched (D)



12 Window Square (S) 24 Window Square (D)



12 Window Arched (S) 24 Window Arched (D)



16 Window Square (S) 32 Window Square (D)



16 Window Arched (S) 32 Window Arched (D)

- S = Single car door
- D = Double car door

For arched windows on double car doors, a homeowner has the option of selecting a single arched or double arched windows.

The number of windows shown can be doubled for double car doors. Option of single or double arch for double car doors. Models are also available in solid arched-top panels.

Designer Fiberglass

The Model 9800 has a wood-grain fiberglass surface and a durable steel inner construction. Wayne Dalton's Model 9800 is as close as you can get to the warmth and beauty of real wood but with less maintenance.


- Foamed-in-place polyurethane insulation (R-value = 7.6*)
- Pinch-resistant door panels

- Limited Lifetime Warranty
- *Wayne Dalton uses a calculated door section R-value for our insulated doors.



MODEL	DOOR WIDTH UP TO	WIND SPEED / DESIGN PRESSURE MPH¹ / MPH² / PSF DESIGN PRESSURE	IMPACT RESISTANT	GLASS AVAILABLE	
				STANDARD	IMPACT
Model 9800	9'	120 - 160 mph ¹ / <mark>155 - 205 mph²</mark> (+22.90/-26.30) - (+41.00/-46.30)	NO	SHORT PANEL	NO
	16'	100 - 150 mph ¹ / <mark>125 - 190 mph²</mark> (+15.30/-17.00) - (+34.40/-38.30)	NO	SHORT PANEL	NO

1 Choose Your Style



Horizontal V-Groove



Sonoma (Windows not available)



Horizontal Raised Panel

8' high doors shown. 7' high doors feature 3-section styling.

Raised Panel

Vertical

Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your Dealer for accurate color matching.

2

Choose Your Color



White



Clay



Gray



Natural Oak



Honduran Mahogany



Cherry



Red Oak



Walnut



Mahogany



Green





NON-IMPAC

For Horizontal Raised and Horizontal V-Groove panels For Vertical Raised panels

For Horizontal V-Groove panels







CONTACT YOUR DEALER TO DETERMINE WINDOW AVAILABILITY AND YOUR LOCAL BUILDING OFFICIAL FOR CODE REQUIREMENTS.



SERIES 7100

Carriage House Wood

The Model 7100 combines the classic swing-open appearance and detailing of carriage house wood doors with the convenience of standard sectional garage doors.

- 1-5/8" Rail and stile construction
- Paint/Stain grade
- Premium wood

- Quality carriage house style
- Optional Insulation



MODEL	DOOR WIDTH UP TO	WIND SPEED / DESIGN PRESSURE MPH¹ / MPH² / PSF DESIGN PRESSURE	IMPACT RESISTANT	GLASS AVAILABLE	
				STANDARD	IMPACT
Series 7100	9'	140 mph ¹ / <mark>180 mph²</mark> (+31.20/-35.80)	NO	SHORT PANEL	NO
	16'	120 mph ¹ / <mark>155 mph²</mark> (+23.00/-25.00)	NO	SHORT PANEL	NO
	18'	100 mph ¹ / <mark>125 mph²</mark> (+15.30/-17.00)	NO	SHORT PANEL	NO

1 Choose Your Style



Model 7101 Clydesdale Grooved



Model 7101 Clydesdale



Model 7102 Appaloosa Grooved




Model 7102 Appaloosa



Model 7103 Mustang

All doors shown are 7' high.

Doors available in both square and arched top designs.



Model 7104 Palomino Wide



Model 7104 Palomino Narrow



Model 7105 Stallion Wide



Model 7105 Stallion Narrow





2 Choose Your Wood



Douglas Fir



Hemlock



Knotty Cedar



Sapele Mahogany



Meranti



Western Red Cedar

Window names reflect number of panes. Window configuration may vary depending on door size. See Dealer or website for complete window selection.

3

Choose Your Windows

Square Top True Vertical Divided



4 Lite (S)



6 Lite (S)



8 Lite (S)

Arched Top True Vertical Divided



4 Lite (S)



6 Lite (S)



8 Lite (S)

Square Top True Cross Divided



8 Lite (S)



12 Lite (S)



16 Lite (S)

Arched Top True Cross Divided



8 Lite (S)



12 Lite (S)



16 Lite (S)

(S) = Single car door. Window names change for double car door.

For arched windows on double car doors, a homeowner has the option of selecting a single arched or double arched windows. Windows shown are for single car doors.

CONTACT YOUR DEALER TO DETERMINE WINDOW AVAILABILITY AND YOUR LOCAL BUILDING OFFICIAL FOR CODE REQUIREMENTS.



SERIES 7400

Carriage House Wood

Our premium wood doors feature your choice of quality stain grade or paint grade woods. If you can dream it, we can build it.

- 2" Four-layer design
- Insulated
- · Premium wood
- Quality carriage house style
- Paint or stain grade



MODEL	DOOR WIDTH UP TO	WIND SPEED / DESIGN PRESSURE MPH¹ / MPH² / PSF DESIGN PRESSURE	IMPACT RESISTANT	GLASS AVAILABLE	
				STANDARD	IMPACT
Series 7400	9'	140 mph ¹ / 180 mph ² (+31.20/-35.80)	NO	SHORT PANEL	NO
	16'	120 mph ¹ / 155 mph ² (+23.00/-25.00)	NO	SHORT PANEL	NO
	18'	100 mph ¹ / 125 mph ² (+15.30/-17.00)	NO	SHORT PANEL	NO

1 Choose Your Style




Model 7400 DelMar



Model 7412 Derby



Model 7401 Preakness



Model 7407[†] Suffolk



Model 7402 Churchill



Model 7408 Berkshire



Model 7405 Remington



Model 7409 Harrington



Model 7406 Belltera



Model 7410 Saratoga



Model 7411 Belmont

All doors shown are 7' high. Doors available in both square and arched top designs.





[†]No windows available. 4-section only

2 Choose Your Wood



Douglas Fir



Hemlock



Knotty Cedar



Sapele Mahogany



Meranti



Western Red Cedar

Window names reflect number of panes. Window configuration may vary depending on door size. See Dealer or website for complete window selection.

3 Choose Your Windows





4 Lite (S)



6 Lite (S)



8 Lite (S)

Arched Top True Vertical Divided



4 Lite (S)



6 Lite (S)



8 Lite (S)


Square Top True Cross Divided



8 Lite (S)



12 Lite (S)



16 Lite (S)

Arched Top True Cross Divided



8 Lite (S)



12 Lite (S)



16 Lite (S)

(S) = Single car door. Window names change for double car door.

For arched windows on double car doors, a homeowner has the option of selecting a single arched or double arched windows. Windows shown are for single car doors.

CONTACT YOUR DEALER TO DETERMINE WINDOW AVAILABILITY AND YOUR LOCAL BUILDING OFFICIAL FOR CODE REQUIREMENTS.





Specialty Vinyl

The vinyl surface stands up to storm driven projectiles, hail and sand. The color goes all the way through so scrapes or scratches are less visible. UV blockers resist sun fade.

- UV-resistant vinyl construction
- Foamed-in-place polyurethane insulation (R-value = 11.75*)
- Deep textured maintenance-free coastal door
- 15-Year Limited Warranty

*Wayne Dalton uses a calculated door section R-value for our insulated doors.




MODEL	DOOR WIDTH UP TO	WIND SPEED / DESIGN PRESSURE MPH¹ / MPH² / PSF DESIGN PRESSURE	IMPACT RESISTANT	GLASS AVAILABLE	
				STANDARD	IMPACT
Model 8700	9'	120 - 160 mph ¹ / 155 - 205 mph ² (+22.90/-26.30) - (+41.60/-46.30)	NO	SHORT PANEL	NO
	16'	120 - 165 mh ¹ / <mark>155 - 215 mph²</mark> (+23.00/-25.00) - (+43.40/-48.40)	NO	SHORT PANEL ³	NO
	18'	110 - 160 mph ¹ / 140 - 205 mph ² (+18.50/-20.70) - (+39.20/-43.70)	NO	SHORT PANEL ³	NO

1 Choose Your Style







Sonoma

2 Choose Your Color



Glacier White



Adobe Cream



Monterey Sand



Cape Cod Gray

Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your Dealer for accurate color matching.













Cathedral I

Ruston

Stockton I Williamsburg 1

Choice of single or double arch is available for arched top double car windows





Williamsburg 8 piece

CONTACT YOUR DEALER TO DETERMINE WINDOW AVAILABILITY AND YOUR LOCAL BUILDING OFFICIAL FOR CODE REQUIREMENTS.

Etched Windows Privacy glass

Williamsburg 4 piece







Prairie

Clear glass







Eclipse

Diamond

Prairie



Wind Speed / Design Pressure Notes

- 1. Wind speeds based on ASCE 7-05 are applicable for enclosed structures with an importance factor of 1.0, mean roof height of 30', and assume a maximum of 2' of the door is located within the end zone of a structure. The wind speeds are listed as a guide only. Wind speed is only one of many factors that determine the design pressure on a structure. The design and location of the structure can have a great effect on the loads placed on the garage door. Consult a registered architect or structural engineer to determine what design pressure is appropriate for your application.
- 2. Wind speeds based on ASCE 7-10 Category II structure with a mean roof height of 30' and a maximum of 2' of the door is located within the end zone of a structure. The wind speeds are listed as a guide only. Wind speed is only one of many factors that determine the design pressure on a structure. The design and location of the structure can have a great effect on the loads placed on the garage door. Consult a registered architect or structural engineer to determine what design pressure is appropriate for your application.
- 3. Options available on select styles.
 - Wind load drawings available upon request.
 - Wind speeds listed in this guide are provided for reference purposes only.

 In **ALL** cases the local building authority is the sole and final determiner of the structural and safety requirements, and suitability of the garage door.



FABRIC-SHIELD Storm Panels and Pull-Down Shutters

Storm Panels

Fabric-Shield® Storm Panels are a highly-effective alternative to steel or aluminum hurricane panels. These PVC coated woven fabric panels were tested and comply with the performance requirements of specification standards ASTM E-1886*, ASTM E-1996* and ASTM E-330*. Fabric-Shield® panels are easily stored and easier to deploy. Panels are also translucent allowing diffused light to enter.

*Refer to page 2 for listing of approvals.





Pull-Down Shutters

Pull-down Shutters use Fabric-Shield® PVC-coated woven fabric in an easy-todeploy pull down system. The low-profile shutter canisters contain each shutter when they are not in use. The pull-down shutter system is simply the fastest way to make your home storm ready.

Find more information at wayne-dalton.com/fabric-shield-storm-protection



















Garage Door Design Center

To see this door on your home, visit wayne-dalton.com, or download our app, and try our Garage Door Design Center. Upload a photo of your home and experiment with panel designs, color options, window styles and decorative hardware designs. Instant curb appeal awaits you with just a click of your mouse.



2501 S. State Hwy. 121 Bus., Ste 200 Lewisville, TX 75067

wayne-dalton.com













